terra legno

ENGINEERED FOR LIFE

ENGINEERED FOR PERFORMANCE

Antique

Spectrum Collection

"Custom Crafted, Custom Made"

Prefinished Engineered Flooring
Wide Plank, Herringbone & Chevron
Plain Sawn, Rift & Quarter,
Rift & Live Sawn

CARB 2 COMPLIANT

LACEY ACT COMPLIANT

ANTIQUE

SPECIFICATIONS

Species: Northern White Oak, Northern Red Oak, Northern Hard Maple, Northern Hickory, Northern American Walnut

Janka Hardness: White Oak 1360, Red Oak 1290, Maple1450, Hickory 1820, American Walnut 1010

Wood Cut Options: Plain Sawn & Live Sawn All Species

Grade: Select & Character

Wood Cut Options White Oak & Red Oak: Plain Sawn, Live Sawn, Quarter Sawn, Rift Sawn, Rift & Quarter Sawn

Wear Layer: 4mm Sawn Faced

Style: Single Planks, Herringbone, Chevron, & Architectural Parquet Patterns.

Plank Widths: 1.5"-12"

Dimensions: Engineered Construction: 5/8 & 3/4" x 1.5 -12" x 2- 10' RL / Avg. Board Length 5'+ (Based on Availability to 2' – 14' RL)

Solid Construction: ¾" x 1.5" – 9" x 1'-9' RL ABL 5'+

Herringbone & Chevron Patterns: W x 30", 36", 40" & Custom Made to Specifications

Parquet Patterns: Made to Specifications

Engineered Core Construction: 5/8" & ¾" Baltic Birch Multi-ply

Finish: UV-Polyurethane and UV-Oil

Finish Texture Options: Smooth, Wire Brushed, Hand Scraped, Saw-Mill Cuts, Burnt, French Bleed

Stains: Custom Color Matching Available

Prefinished Edge: Micro-Bevel , Full Bevel, Scraped

Unfinished Edges: Straight Edge & Micro Bevel

Moldings: Reducer, Stair Nose, Baby Threshold, T-Mold, Heat Vents, Stair Treads & Risers

Custom Made to Order Moldings Available

StairMax Stairnose:





Shade Variance: Natural products like wood flooring have inherent color & shade variations. The degree of variation is related to the species and the grading.

Light Sensitivity: Wood Species have their unique level of sensitivity to light and color change.



terra legno Engineered Flooring offers the exact look and refinishing features of solid wood flooring with superior dimensional stability and performance of engineered construction.

INSTALLATION

Methods: Staple / Nail Down, & Glue Assist, Glue & Nail Down, Glue Down, Staple / Nail, Float
Areas: On Grade, Below Grade & Above Grade

For best results, wood floors installed by a wood flooring professional equal to an NWFA Certified Installer. Up to date installation guidelines available at: www.terralegno.com.

CARE & MAINTENANCE

Residential and Commercial Wood Flooring Maintence with NeoTech Polyurethane Finish. Floor Care and Maintenance details refer to www.terralegno.com

WARRANTIES

Lifetime Structural Warranty
35 Year Residential Finish Warranty
5 Year Light Commercial Finish Warranty
3 Year Commercial Finish Warranty

CERTIFICATIONS

CARB 2 Compliant
Lacey Act
LEED Potential Credits

CONTACT & SAMPLES

For further information and sample requests:
www.terralegno.com
info@terralegno.com
P: 800-393-7424

terra legno

ENGINEERED FOR LIFE

ENGINEERED FOR PERFORMANCE

Pewter

Spectrum Collection

"Custom Crafted, Custom Made"

Prefinished Engineered Flooring
Wide Plank, Herringbone & Chevron
Plain Sawn, Rift & Quarter,
Rift & Live Sawn

CARB 2 COMPLIANT

LACEY ACT COMPLIANT

PEWTER

SPECIFICATIONS

Species: Northern White Oak, Northern Red Oak, Northern Hard Maple, Northern Hickory, Northern American Walnut

Janka Hardness: White Oak 1360, Red Oak 1290, Maple1450, Hickory 1820, American Walnut 1010

Wood Cut Options: Plain Sawn & Live Sawn All Species

Grade: Select & Character

Wood Cut Options White Oak & Red Oak: Plain Sawn, Live Sawn, Quarter Sawn, Rift Sawn, Rift & Quarter Sawn

Wear Layer: 4mm Sawn Faced

Style: Single Planks, Herringbone, Chevron, & Architectural Parquet Patterns.

Plank Widths: 1.5"-12"

Dimensions: Engineered Construction: 5/8 & 3/4" x 1.5 -12" x 2- 10' RL / Avg. Board Length 5'+ (Based on Availability to 2' – 14' RL)

Solid Construction: ¾" x 1.5" – 9" x 1'-9' RL ABL 5'+

Herringbone & Chevron Patterns: W x 30", 36", 40" & Custom Made to Specifications

Parquet Patterns: Made to Specifications

Engineered Core Construction: 5/8" & ¾" Baltic Birch Multi-ply

Finish: UV-Polyurethane and UV-Oil

Finish Texture Options: Smooth, Wire Brushed, Hand Scraped, Saw-Mill Cuts, Burnt, French Bleed

Stains: Custom Color Matching Available

Prefinished Edge: Micro-Bevel , Full Bevel, Scraped

Unfinished Edges: Straight Edge & Micro Bevel

Moldings: Reducer, Stair Nose, Baby Threshold, T-Mold, Heat Vents, Stair Treads & Risers

Custom Made to Order Moldings Available

StairMax Stairnose:





Shade Variance: Natural products like wood flooring have inherent color & shade variations. The degree of variation is related to the species and the grading.

Light Sensitivity: Wood Species have their unique level of sensitivity to light and color change.



terra legno Engineered Flooring offers the exact look and refinishing features of solid wood flooring with superior dimensional stability and performance of engineered construction.

INSTALLATION

Methods: Staple / Nail Down, & Glue Assist, Glue & Nail Down, Glue Down, Staple / Nail, Float
Areas: On Grade, Below Grade & Above Grade

For best results, wood floors installed by a wood flooring professional equal to an NWFA Certified Installer. Up to date installation guidelines available at: www.terralegno.com.

CARE & MAINTENANCE

Residential and Commercial Wood Flooring Maintence with NeoTech Polyurethane Finish. Floor Care and Maintenance details refer to www.terralegno.com

WARRANTIES

Lifetime Structural Warranty
35 Year Residential Finish Warranty
5 Year Light Commercial Finish Warranty
3 Year Commercial Finish Warranty

CERTIFICATIONS

CARB 2 Compliant
Lacey Act
LEED Potential Credits

CONTACT & SAMPLES

For further information and sample requests:
www.terralegno.com
info@terralegno.com
P: 800-393-7424

terra legno

ENGINEERED FOR LIFE

ENGINEERED FOR PERFORMANCE

Steel Gray

Spectrum Collection

"Custom Crafted, Custom Made"

Prefinished Engineered Flooring
Wide Plank, Herringbone & Chevron
Plain Sawn, Rift & Quarter,
Rift & Live Sawn

CARB 2 COMPLIANT

LACEY ACT COMPLIANT

STEEL GRAY

SPECIFICATIONS

Species: Northern White Oak, Northern Red Oak, Northern Hard Maple, Northern Hickory, Northern American Walnut

Janka Hardness: White Oak 1360, Red Oak 1290, Maple1450, Hickory 1820, American Walnut 1010

Wood Cut Options: Plain Sawn & Live Sawn All Species

Grade: Select & Character

Wood Cut Options White Oak & Red Oak: Plain Sawn, Live Sawn, Quarter Sawn, Rift Sawn, Rift & Quarter Sawn

Wear Layer: 4mm Sawn Faced

Style: Single Planks, Herringbone, Chevron, & Architectural Parquet Patterns.

Plank Widths: 1.5"-12"

Dimensions: Engineered Construction: 5/8 & 3/4" x 1.5 -12" x 2- 10' RL / Avg. Board Length 5'+ (Based on Availability to 2' – 14' RL)

Solid Construction: ¾" x 1.5" – 9" x 1'-9' RL ABL 5'+

Herringbone & Chevron Patterns: W x 30", 36", 40" & Custom Made to Specifications

Parquet Patterns: Made to Specifications

Engineered Core Construction: 5/8" & ¾" Baltic Birch Multi-ply

Finish: UV-Polyurethane and UV-Oil

Finish Texture Options: Smooth, Wire Brushed, Hand Scraped, Saw-Mill Cuts, Burnt, French Bleed

Stains: Custom Color Matching Available

Prefinished Edge: Micro-Bevel , Full Bevel, Scraped

Unfinished Edges: Straight Edge & Micro Bevel

Moldings: Reducer, Stair Nose, Baby Threshold, T-Mold, Heat Vents, Stair Treads & Risers

Custom Made to Order Moldings Available

StairMax Stairnose:





Shade Variance: Natural products like wood flooring have inherent color & shade variations. The degree of variation is related to the species and the grading.

Light Sensitivity: Wood Species have their unique level of sensitivity to light and color change.



terra legno Engineered Flooring offers the exact look and refinishing features of solid wood flooring with superior dimensional stability and performance of engineered construction.

INSTALLATION

Methods: Staple / Nail Down, & Glue Assist, Glue & Nail Down, Glue Down, Staple / Nail, Float
Areas: On Grade, Below Grade & Above Grade

For best results, wood floors installed by a wood flooring professional equal to an NWFA Certified Installer. Up to date installation guidelines available at: www.terralegno.com.

CARE & MAINTENANCE

Residential and Commercial Wood Flooring Maintence with NeoTech Polyurethane Finish. Floor Care and Maintenance details refer to www.terralegno.com

WARRANTIES

Lifetime Structural Warranty
35 Year Residential Finish Warranty
5 Year Light Commercial Finish Warranty
3 Year Commercial Finish Warranty

CERTIFICATIONS

CARB 2 Compliant
Lacey Act
LEED Potential Credits

CONTACT & SAMPLES

For further information and sample requests:
www.terralegno.com
info@terralegno.com
P: 800-393-7424

terra legno

ENGINEERED FOR LIFE

ENGINEERED FOR PERFORMANCE

Taupe

Spectrum Collection

"Custom Crafted, Custom Made"

Prefinished Engineered Flooring
Wide Plank, Herringbone & Chevron
Plain Sawn, Rift & Quarter,
Rift & Live Sawn

CARB 2 COMPLIANT

LACEY ACT COMPLIANT

TAUPE

SPECIFICATIONS

Species: Northern White Oak, Northern Red Oak, Northern Hard Maple, Northern Hickory, Northern American Walnut

Janka Hardness: White Oak 1360, Red Oak 1290, Maple1450, Hickory 1820, American Walnut 1010

Wood Cut Options: Plain Sawn & Live Sawn All Species

Grade: Select & Character

Wood Cut Options White Oak & Red Oak: Plain Sawn, Live Sawn, Quarter Sawn, Rift Sawn, Rift & Quarter Sawn

Wear Layer: 4mm Sawn Faced

Style: Single Planks, Herringbone, Chevron, & Architectural Parquet Patterns.

Plank Widths: 1.5"-12"

Dimensions: Engineered Construction: 5/8 & 3/4" x 1.5 -12" x 2- 10' RL / Avg. Board Length 5'+ (Based on Availability to 2' – 14' RL)

Solid Construction: ¾" x 1.5" – 9" x 1'-9' RL ABL 5'+

Herringbone & Chevron Patterns: W x 30", 36", 40" & Custom Made to Specifications

Parquet Patterns: Made to Specifications

Engineered Core Construction: 5/8" & ¾" Baltic Birch Multi-ply

Finish: UV-Polyurethane and UV-Oil

Finish Texture Options: Smooth, Wire Brushed, Hand Scraped, Saw-Mill Cuts, Burnt, French Bleed

Stains: Custom Color Matching Available

Prefinished Edge: Micro-Bevel , Full Bevel, Scraped

Unfinished Edges: Straight Edge & Micro Bevel

Moldings: Reducer, Stair Nose, Baby Threshold, T-Mold, Heat Vents, Stair Treads & Risers

Custom Made to Order Moldings Available

StairMax Stairnose:





Shade Variance: Natural products like wood flooring have inherent color & shade variations. The degree of variation is related to the species and the grading.

Light Sensitivity: Wood Species have their unique level of sensitivity to light and color change.



terra legno Engineered Flooring offers the exact look and refinishing features of solid wood flooring with superior dimensional stability and performance of engineered construction.

INSTALLATION

Methods: Staple / Nail Down, & Glue Assist, Glue & Nail Down, Glue Down, Staple / Nail, Float
Areas: On Grade, Below Grade & Above Grade

For best results, wood floors installed by a wood flooring professional equal to an NWFA Certified Installer. Up to date installation guidelines available at: www.terralegno.com.

CARE & MAINTENANCE

Residential and Commercial Wood Flooring Maintence with NeoTech Polyurethane Finish. Floor Care and Maintenance details refer to www.terralegno.com

WARRANTIES

Lifetime Structural Warranty
35 Year Residential Finish Warranty
5 Year Light Commercial Finish Warranty
3 Year Commercial Finish Warranty

CERTIFICATIONS

CARB 2 Compliant
Lacey Act
LEED Potential Credits

CONTACT & SAMPLES

For further information and sample requests:
www.terralegno.com
info@terralegno.com
P: 800-393-7424

terra legno

ENGINEERED FOR LIFE

ENGINEERED FOR PERFORMANCE

Driftwood

Spectrum Collection

"Custom Crafted, Custom Made"

Prefinished Engineered Flooring
Wide Plank, Herringbone & Chevron
Plain Sawn, Rift & Quarter,
Rift & Live Sawn

CARB 2 COMPLIANT

LACEY ACT COMPLIANT

DRIFTWOOD

SPECIFICATIONS

Species: Northern White Oak, Northern Red Oak, Northern Hard Maple, Northern Hickory, Northern American Walnut

Janka Hardness: White Oak 1360, Red Oak 1290, Maple1450, Hickory 1820, American Walnut 1010

Wood Cut Options: Plain Sawn & Live Sawn All Species

Grade: Select & Character

Wood Cut Options White Oak & Red Oak: Plain Sawn, Live Sawn, Quarter Sawn, Rift Sawn, Rift & Quarter Sawn

Wear Layer: 4mm Sawn Faced

Style: Single Planks, Herringbone, Chevron, & Architectural Parquet Patterns.

Plank Widths: 1.5"-12"

Dimensions: Engineered Construction: 5/8 & 3/4" x 1.5 -12" x 2- 10' RL / Avg. Board Length 5'+ (Based on Availability to 2' – 14' RL)

Solid Construction: ¾" x 1.5" – 9" x 1'-9' RL ABL 5'+

Herringbone & Chevron Patterns: W x 30", 36", 40" & Custom Made to Specifications

Parquet Patterns: Made to Specifications

Engineered Core Construction: 5/8" & ¾" Baltic Birch Multi-ply

Finish: UV-Polyurethane and UV-Oil

Finish Texture Options: Smooth, Wire Brushed, Hand Scraped, Saw-Mill Cuts, Burnt, French Bleed

Stains: Custom Color Matching Available

Prefinished Edge: Micro-Bevel , Full Bevel, Scraped

Unfinished Edges: Straight Edge & Micro Bevel

Moldings: Reducer, Stair Nose, Baby Threshold, T-Mold, Heat Vents, Stair Treads & Risers

Custom Made to Order Moldings Available

StairMax Stairnose:





Shade Variance: Natural products like wood flooring have inherent color & shade variations. The degree of variation is related to the species and the grading.

Light Sensitivity: Wood Species have their unique level of sensitivity to light and color change.



terra legno Engineered Flooring offers the exact look and refinishing features of solid wood flooring with superior dimensional stability and performance of engineered construction.

INSTALLATION

Methods: Staple / Nail Down, & Glue Assist, Glue & Nail Down, Glue Down, Staple / Nail, Float
Areas: On Grade, Below Grade & Above Grade

For best results, wood floors installed by a wood flooring professional equal to an NWFA Certified Installer. Up to date installation guidelines available at: www.terralegno.com.

CARE & MAINTENANCE

Residential and Commercial Wood Flooring Maintence with NeoTech Polyurethane Finish. Floor Care and Maintenance details refer to www.terralegno.com

WARRANTIES

Lifetime Structural Warranty
35 Year Residential Finish Warranty
5 Year Light Commercial Finish Warranty
3 Year Commercial Finish Warranty

CERTIFICATIONS

CARB 2 Compliant
Lacey Act
LEED Potential Credits

CONTACT & SAMPLES

For further information and sample requests:
www.terralegno.com
info@terralegno.com
P: 800-393-7424

terra legno

ENGINEERED FOR LIFE

ENGINEERED FOR PERFORMANCE

Nutmeg

Spectrum Collection

"Custom Crafted, Custom Made"

Prefinished Engineered Flooring
Wide Plank, Herringbone & Chevron
Plain Sawn, Rift & Quarter,
Rift & Live Sawn

CARB 2 COMPLIANT

LACEY ACT COMPLIANT

Nutmeg

SPECIFICATIONS

Species: Northern White Oak, Northern Red Oak, Northern Hard Maple, Northern Hickory, Northern American Walnut

Janka Hardness: White Oak 1360, Red Oak 1290, Maple 1450, Hickory 1820, American Walnut 1010

Wood Cut Options: Plain Sawn & Live Sawn All Species

Grade: Select & Character

Wood Cut Options White Oak & Red Oak: Plain Sawn, Live Sawn, Quarter Sawn, Rift Sawn, Rift & Quarter Sawn

Wear Layer: 4mm Sawn Faced

Style: Single Planks, Herringbone, Chevron, & Architectural Parquet Patterns.

Plank Widths: 1.5"-12"

Dimensions: Engineered Construction: 5/8 & 3/4" x 1.5 -12" x 2- 10' RL / Avg. Board Length 5'+ (Based on Availability to 2' – 14' RL)

Solid Construction: ¾" x 1.5" – 9" x 1'-9' RL ABL 5'+

Herringbone & Chevron Patterns: W x 30", 36", 40" & Custom Made to Specifications

Parquet Patterns: Made to Specifications

Engineered Core Construction: 5/8" & ¾" Baltic Birch Multi-ply

Finish: UV-Polyurethane and UV-Oil

Finish Texture Options: Smooth, Wire Brushed, Hand Scraped, Saw-Mill Cuts, Burnt, French Bleed

Stains: Custom Color Matching Available

Prefinished Edge: Micro-Bevel , Full Bevel, Scraped

Unfinished Edges: Straight Edge & Micro Bevel

Moldings: Reducer, Stair Nose, Baby Threshold, T-Mold, Heat Vents, Stair Treads & Risers

Custom Made to Order Moldings Available

StairMax Stairnose:





Shade Variance: Natural products like wood flooring have inherent color & shade variations. The degree of variation is related to the species and the grading.

Light Sensitivity: Wood Species have their unique level of sensitivity to light and color change.



terra legno Engineered Flooring offers the exact look and refinishing features of solid wood flooring with superior dimensional stability and performance of engineered construction.

INSTALLATION

Methods: Staple / Nail Down, & Glue Assist, Glue & Nail Down, Glue Down, Staple / Nail, Float
Areas: On Grade, Below Grade & Above Grade

For best results, wood floors installed by a wood flooring professional equal to an NWFA Certified Installer. Up to date installation guidelines available at: www.terralegno.com.

CARE & MAINTENANCE

Residential and Commercial Wood Flooring Maintence with NeoTech Polyurethane Finish. Floor Care and Maintenance details refer to www.terralegno.com

WARRANTIES

Lifetime Structural Warranty
35 Year Residential Finish Warranty
5 Year Light Commercial Finish Warranty
3 Year Commercial Finish Warranty

CERTIFICATIONS

CARB 2 Compliant
Lacey Act
LEED Potential Credits

CONTACT & SAMPLES

For further information and sample requests:
www.terralegno.com
info@terralegno.com
P: 800-393-7424

terra legno

ENGINEERED FOR LIFE

ENGINEERED FOR PERFORMANCE

Coffee

Spectrum Collection

"Custom Crafted, Custom Made"

Prefinished Engineered Flooring
Wide Plank, Herringbone & Chevron
Plain Sawn, Rift & Quarter,
Rift & Live Sawn

CARB 2 COMPLIANT

LACEY ACT COMPLIANT

Coffee

SPECIFICATIONS

Species: Northern White Oak, Northern Red Oak, Northern Hard Maple, Northern Hickory, Northern American Walnut

Janka Hardness: White Oak 1360, Red Oak 1290, Maple 1450, Hickory 1820, American Walnut 1010

Wood Cut Options: Plain Sawn & Live Sawn All Species

Grade: Select & Character

Wood Cut Options White Oak & Red Oak: Plain Sawn, Live Sawn, Quarter Sawn, Rift Sawn, Rift & Quarter Sawn

Wear Layer: 4mm Sawn Faced

Style: Single Planks, Herringbone, Chevron, & Architectural Parquet Patterns.

Plank Widths: 1.5"-12"

Dimensions: Engineered Construction: 5/8 & 3/4" x 1.5 -12" x 2- 10' RL / Avg. Board Length 5'+ (Based on Availability to 2' – 14' RL)

Solid Construction: ¾" x 1.5" – 9" x 1'-9' RL ABL 5'+

Herringbone & Chevron Patterns: W x 30", 36", 40" & Custom Made to Specifications

Parquet Patterns: Made to Specifications

Engineered Core Construction: 5/8" & ¾" Baltic Birch Multi-ply

Finish: UV-Polyurethane and UV-Oil

Finish Texture Options: Smooth, Wire Brushed, Hand Scraped, Saw-Mill Cuts, Burnt, French Bleed

Stains: Custom Color Matching Available

Prefinished Edge: Micro-Bevel , Full Bevel, Scraped

Unfinished Edges: Straight Edge & Micro Bevel

Moldings: Reducer, Stair Nose, Baby Threshold, T-Mold, Heat Vents, Stair Treads & Risers

Custom Made to Order Moldings Available

StairMax Stairnose:





Shade Variance: Natural products like wood flooring have inherent color & shade variations. The degree of variation is related to the species and the grading.

Light Sensitivity: Wood Species have their unique level of sensitivity to light and color change.



terra legno Engineered Flooring offers the exact look and refinishing features of solid wood flooring with superior dimensional stability and performance of engineered construction.

INSTALLATION

Methods: Staple / Nail Down, & Glue Assist, Glue & Nail Down, Glue Down, Staple / Nail, Float
Areas: On Grade, Below Grade & Above Grade

For best results, wood floors installed by a wood flooring professional equal to an NWFA Certified Installer. Up to date installation guidelines available at: www.terralegno.com.

CARE & MAINTENANCE

Residential and Commercial Wood Flooring Maintence with NeoTech Polyurethane Finish. Floor Care and Maintenance details refer to www.terralegno.com

WARRANTIES

Lifetime Structural Warranty
35 Year Residential Finish Warranty
5 Year Light Commercial Finish Warranty
3 Year Commercial Finish Warranty

CERTIFICATIONS

CARB 2 Compliant
Lacey Act
LEED Potential Credits

CONTACT & SAMPLES

For further information and sample requests:
www.terralegno.com
info@terralegno.com
P: 800-393-7424



terra legno

ENGINEERED FOR LIFE

ENGINEERED FOR PERFORMANCE

Ebony

Spectrum Collection

"Custom Crafted, Custom Made"

Prefinished Engineered Flooring
Wide Plank, Herringbone & Chevron
Plain Sawn, Rift & Quarter,
Rift & Live Sawn

CARB 2 COMPLIANT

LACEY ACT COMPLIANT

Ebony

SPECIFICATIONS

Species: Northern White Oak, Northern Red Oak, Northern Hard Maple, Northern Hickory, Northern American Walnut

Janka Hardness: White Oak 1360, Red Oak 1290, Maple 1450, Hickory 1820, American Walnut 1010

Wood Cut Options: Plain Sawn & Live Sawn All Species

Grade: Select & Character

Wood Cut Options White Oak & Red Oak: Plain Sawn, Live Sawn, Quarter Sawn, Rift Sawn, Rift & Quarter Sawn

Wear Layer: 4mm Sawn Faced

Style: Single Planks, Herringbone, Chevron, & Architectural Parquet Patterns.

Plank Widths: 1.5"-12"

Dimensions: Engineered Construction: 5/8 & 3/4" x 1.5 -12" x 2- 10' RL / Avg. Board Length 5'+ (Based on Availability to 2' – 14' RL)

Solid Construction: ¾" x 1.5" – 9" x 1'-9' RL ABL 5'+

Herringbone & Chevron Patterns: W x 30", 36", 40" & Custom Made to Specifications

Parquet Patterns: Made to Specifications

Engineered Core Construction: 5/8" & ¾" Baltic Birch Multi-ply

Finish: UV-Polyurethane and UV-Oil

Finish Texture Options: Smooth, Wire Brushed, Hand Scraped, Saw-Mill Cuts, Burnt, French Bleed

Stains: Custom Color Matching Available

Prefinished Edge: Micro-Bevel , Full Bevel, Scraped

Unfinished Edges: Straight Edge & Micro Bevel

Moldings: Reducer, Stair Nose, Baby Threshold, T-Mold, Heat Vents, Stair Treads & Risers

Custom Made to Order Moldings Available

StairMax Stairnose:





Shade Variance: Natural products like wood flooring have inherent color & shade variations. The degree of variation is related to the species and the grading.

Light Sensitivity: Wood Species have their unique level of sensitivity to light and color change.



terra legno Engineered Flooring offers the exact look and refinishing features of solid wood flooring with superior dimensional stability and performance of engineered construction.

INSTALLATION

Methods: Staple / Nail Down, & Glue Assist, Glue & Nail Down, Glue Down, Staple / Nail, Float
Areas: On Grade, Below Grade & Above Grade

For best results, wood floors installed by a wood flooring professional equal to an NWFA Certified Installer. Up to date installation guidelines available at: www.terralegno.com.

CARE & MAINTENANCE

Residential and Commercial Wood Flooring Maintence with NeoTech Polyurethane Finish. Floor Care and Maintenance details refer to www.terralegno.com

WARRANTIES

Lifetime Structural Warranty
35 Year Residential Finish Warranty
5 Year Light Commercial Finish Warranty
3 Year Commercial Finish Warranty

CERTIFICATIONS

CARB 2 Compliant
Lacey Act
LEED Potential Credits

CONTACT & SAMPLES

For further information and sample requests:
www.terralegno.com
info@terralegno.com
P: 800-393-7424