

terra legno

ENGINEERED FOR LIFE
ENGINEERED FOR PERFORMANCE



Raven Black
NATURA COLLECTION



NATURA COLLECTION

Raven Black

SPECIFICATIONS

Species:	European White Oak
Grade:	Select Prime
Thickness:	5/8"
Width:	6 1/2"
Length:	60%+ 6 1/4' 40% 18"- 48"
Wear Layer	4 mm saw cut
Finish:	Neotech Bare
Edge:	Microbevel
Packing/Box:	23.613 sf/ctn
Shade Variance:	Low



Shade Variation: LOW



Color Change: LOW

SHADE VARIATION & COLOR CHANGE

Shade Variance: Natural products like wood flooring have inherent color & shade variations. The degree of variation is related to the species and the grading.

Light Sensitivity: Wood flooring is light sensitive. Over time, the color of wood naturally changes when exposed to light. Natural UV light and direct sunlight results in the greatest amount of change. The lighting in the room can affect the color of the wood floor.

Reactive Stains & Light Sensitivity: Wood species with higher tannins, like European White Oak, finished with Reactive Stains inherently have a higher sensitivity to light and color change.


ADDITIONAL OPTIONS

Moldings: standard flush mount & overlap moldings, custom made to order moldings available




Stair treads & risers: 36", 42", 48", 60", 72" Heat vents with damper: drop-in and flush mount

PLANK VIEW



terra legno Engineered Flooring offers the exact look and refinishing features of solid wood flooring with the superior dimensional stability and performance of engineered construction.



INSTALLATION

Methods: Staple/ nail down & glue assist, glue & staple/ nail down, glue down, staple & nail down, or float

Areas: On grade, below grade & above grade
For best results, wood floors installed by a wood flooring professional equal to an NWFA Certified Installer.

WARRANTIES

Lifetime Structural Warranty
35 Year Residential Finish Warranty
5 Year Light Commercial Finish Warranty
3 Year Commercial Finish Warranty



CARE & MAINTENANCE

Residential and commercial wood flooring maintenance with NeoTech Bare finish. For floor care and maintenance details refer to www.terralegno.com.

CERTIFICATION

CARB 2 Compliant
FSC on Request
Lacey Act
LEED Potential Credits

CONTACT & SAMPLES

For sample requests:
www.terralegno.com
info@terralegno.com
P: 800-393-7424



VIEW ONLINE

See more photos, order a sample, or explore the full Natura Collection at terralegno.com.

terra legno

ENGINEERED FOR LIFE
ENGINEERED FOR PERFORMANCE



Pearl Taupe
NATURA COLLECTION



NATURA COLLECTION

Pearl Taupe

SPECIFICATIONS

Species: North American White Oak

Grade: Select Prime

Thickness: 5/8"

Width: 6 1/2"

Length: 60%+ 6 1/4' 40% 18"- 48"

Wear Layer 4 mm saw cut

Finish: Neotech Bare

Edge: Microbevel

Packing/Box: 23.613 sf/ctn

Shade Variance: Med to Low



Shade Variation: MED to LOW



Color Change: LOW

SHADE VARIATION & COLOR CHANGE

Shade Variance: Natural products like wood flooring have inherent color & shade variations. The degree of variation is related to the species and the grading.

Light Sensitivity: Wood flooring is light sensitive. Over time, the color of wood naturally changes when exposed to light. Natural UV light and direct sunlight results in the greatest amount of change. The lighting in the room can affect the color of the wood floor.

Reactive Stains & Light Sensitivity: Wood species with higher tannins, like European White Oak, finished with Reactive Stains inherently have a higher sensitivity to light and color change.

ADDITIONAL OPTIONS

Moldings: standard flush mount & overlap moldings, custom made to order moldings available




Stair treads & risers: 36", 42", 48", 60", 72" Heat vents with damper: drop-in and flush mount

PLANK VIEW



terra legno Engineered Flooring offers the exact look and refinishing features of solid wood flooring with the superior dimensional stability and performance of engineered construction.



INSTALLATION

Methods: Staple/ nail down & glue assist, glue & staple/ nail down, glue down, staple & nail down, or float

Areas: On grade, below grade & above grade
For best results, wood floors installed by a wood flooring professional equal to an NWFA Certified Installer.

WARRANTIES

Lifetime Structural Warranty
35 Year Residential Finish Warranty
5 Year Light Commercial Finish Warranty
3 Year Commercial Finish Warranty



CARE & MAINTENANCE

Residential and commercial wood flooring maintenance with NeoTech Bare finish. For floor care and maintenance details refer to www.terraleigno.com.

CERTIFICATION

CARB 2 Compliant
FSC on Request
Lacey Act
LEED Potential Credits

CONTACT & SAMPLES

For sample requests:
www.terraleigno.com
info@terraleigno.com
P: 800-393-7424



VIEW ONLINE

See more photos, order a sample, or explore the full Natura Collection at terraleigno.com.

terra legno

ENGINEERED FOR LIFE
ENGINEERED FOR PERFORMANCE



Sahara
NATURA COLLECTION



NATURA COLLECTION

Sahara

SPECIFICATIONS

Species:	European White Oak
Grade:	Select Prime
Thickness:	5/8"
Width:	6 1/2"
Length:	60%+ 6 1/4' 40% 18"- 48"
Wear Layer	4 mm saw cut
Finish:	Neotech Bare
Edge:	Microbevel
Packing/Box:	23.613 sf/ctn
Shade Variance:	Med to Low



Shade Variation: MED to LOW



Color Change: LOW

SHADE VARIATION & COLOR CHANGE

Shade Variance: Natural products like wood flooring have inherent color & shade variations. The degree of variation is related to the species and the grading.

Light Sensitivity: Wood flooring is light sensitive. Over time, the color of wood naturally changes when exposed to light. Natural UV light and direct sunlight results in the greatest amount of change. The lighting in the room can affect the color of the wood floor.

Reactive Stains & Light Sensitivity: Wood species with higher tannins, like European White Oak, finished with Reactive Stains inherently have a higher sensitivity to light and color change.

ADDITIONAL OPTIONS

Moldings: standard flush mount & overlap moldings, custom made to order moldings available




Stair treads & risers: 36", 42", 48", 60", 72" Heat vents with damper: drop-in and flush mount

PLANK VIEW



terra legno Engineered Flooring offers the exact look and refinishing features of solid wood flooring with the superior dimensional stability and performance of engineered construction.



Solid Hardwood + 4mm Wear Layer

INSTALLATION

Methods: Staple/ nail down & glue assist, glue & staple/ nail down, glue down, staple & nail down, or float

Areas: On grade, below grade & above grade
For best results, wood floors installed by a wood flooring professional equal to an NWFA Certified Installer.

WARRANTIES

Lifetime Structural Warranty
35 Year Residential Finish Warranty
5 Year Light Commercial Finish Warranty
3 Year Commercial Finish Warranty



CARE & MAINTENANCE

Residential and commercial wood flooring maintenance with NeoTech Bare finish. For floor care and maintenance details refer to www.terraleigno.com.

CERTIFICATION

CARB 2 Compliant
FSC on Request
Lacey Act
LEED Potential Credits

CONTACT & SAMPLES

For sample requests:
www.terraleigno.com
info@terraleigno.com
P: 800-393-7424



VIEW ONLINE

See more photos, order a sample, or explore the full Natura Collection at terraleigno.com.

terra legno

ENGINEERED FOR LIFE
ENGINEERED FOR PERFORMANCE



Smoked Sienna

NATURA COLLECTION



NATURA COLLECTION

Smoked Sienna

SPECIFICATIONS

Species:	European White Oak
Grade:	Select Prime
Thickness:	5/8"
Width:	6 1/2"
Length:	60%+ 6 1/4' 40% 18"- 48"
Wear Layer	4 mm saw cut
Finish:	Neotech Bare
Edge:	Microbevel
Packing/Box:	23.613 sf/ctn
Shade Variance:	Med to Low



Shade Variation: MED to LOW



Color Change: LOW

SHADE VARIATION & COLOR CHANGE

Shade Variance: Natural products like wood flooring have inherent color & shade variations. The degree of variation is related to the species and the grading.

Light Sensitivity: Wood flooring is light sensitive. Over time, the color of wood naturally changes when exposed to light. Natural UV light and direct sunlight results in the greatest amount of change. The lighting in the room can affect the color of the wood floor.

Reactive Stains & Light Sensitivity: Wood species with higher tannins, like European White Oak, finished with Reactive Stains inherently have a higher sensitivity to light and color change.

ADDITIONAL OPTIONS

Moldings: standard flush mount & overlap moldings, custom made to order moldings available




Stair treads & risers: 36", 42", 48", 60", 72" Heat vents with damper: drop-in and flush mount

PLANK VIEW



terra legno Engineered Flooring offers the exact look and refinishing features of solid wood flooring with the superior dimensional stability and performance of engineered construction.



Solid Hardwood + 4mm Wear Layer

INSTALLATION

Methods: Staple/ nail down & glue assist, glue & staple/ nail down, glue down, staple & nail down, or float

Areas: On grade, below grade & above grade
For best results, wood floors installed by a wood flooring professional equal to an NWFA Certified Installer.

WARRANTIES

Lifetime Structural Warranty
35 Year Residential Finish Warranty
5 Year Light Commercial Finish Warranty
3 Year Commercial Finish Warranty



CARE & MAINTENANCE

Residential and commercial wood flooring maintenance with NeoTech Bare finish. For floor care and maintenance details refer to www.terraleigno.com.

CERTIFICATION

CARB 2 Compliant
FSC on Request
Lacey Act
LEED Potential Credits

CONTACT & SAMPLES

For sample requests:
www.terraleigno.com
info@terraleigno.com
P: 800-393-7424



VIEW ONLINE

See more photos, order a sample, or explore the full Natura Collection at terraleigno.com.

terra legno

ENGINEERED FOR LIFE
ENGINEERED FOR PERFORMANCE



Oyster
NATURA COLLECTION



NATURA COLLECTION

Oyster

SPECIFICATIONS

Species:	European White Oak
Grade:	Select Prime
Thickness:	5/8"
Width:	6 1/2"
Length:	60%+ 6 1/4' 40% 18"- 48"
Wear Layer	4 mm saw cut
Finish:	Neotech Bare
Edge:	Microbevel
Packing/Box:	23.613 sf/ctn
Shade Variance:	Med to Low



Shade Variation: MED to LOW



Color Change: LOW

SHADE VARIATION & COLOR CHANGE

Shade Variance: Natural products like wood flooring have inherent color & shade variations. The degree of variation is related to the species and the grading.

Light Sensitivity: Wood flooring is light sensitive. Over time, the color of wood naturally changes when exposed to light. Natural UV light and direct sunlight results in the greatest amount of change. The lighting in the room can affect the color of the wood floor.

Reactive Stains & Light Sensitivity: Wood species with higher tannins, like European White Oak, finished with Reactive Stains inherently have a higher sensitivity to light and color change.

ADDITIONAL OPTIONS

Moldings: standard flush mount & overlap moldings, custom made to order moldings available




Stair treads & risers: 36", 42", 48", 60", 72" Heat vents with damper: drop-in and flush mount

PLANK VIEW



terra legno Engineered Flooring offers the exact look and refinishing features of solid wood flooring with the superior dimensional stability and performance of engineered construction.



Solid Hardwood + 4mm Wear Layer

INSTALLATION

Methods: Staple/ nail down & glue assist, glue & staple/ nail down, glue down, staple & nail down, or float

Areas: On grade, below grade & above grade
For best results, wood floors installed by a wood flooring professional equal to an NWFA Certified Installer.

WARRANTIES

Lifetime Structural Warranty
35 Year Residential Finish Warranty
5 Year Light Commercial Finish Warranty
3 Year Commercial Finish Warranty



CARE & MAINTENANCE

Residential and commercial wood flooring maintenance with NeoTech Bare finish. For floor care and maintenance details refer to www.terraleigno.com.

CERTIFICATION

CARB 2 Compliant
FSC on Request
Lacey Act
LEED Potential Credits

CONTACT & SAMPLES

For sample requests:
www.terraleigno.com
info@terraleigno.com
P: 800-393-7424



VIEW ONLINE

See more photos, order a sample, or explore the full Natura Collection at terraleigno.com.